



Gujarat Cooperative Milk Marketing Federation Ltd, Anand AmulFed Dairy (Previously known as Mother Dairy)

Plot No. 35, Nr. Indira Bridge, Ahmedabad-Gandhinagar Highway Village: Bhat, Dist: Gandhinagar Gujarat, India-382428

Inquiry for Supply, Installation and Commissioning of Furniture with Partition & Doors at NPD Lab, AmulFed Dairy, Gandhinagar

AFD: PUR: ENQ: 2025: 683





We are looking to **Supply, Installation and Commissioning of Furniture with Partition & Doors at NPD Lab**, AmulFed Dairy, Gandhinagar. You are requested to submit your best offer along with detailed/technical specifications that meets the following general requirements. Your offer should be based on following considerations & as per enclosed annexures:

Inquiry Reference	AFD: PUR: ENQ: 2025: 683
Inquiry Start	10.10.2025
Last date of vendor registration Submission	14.10.2025 (16:00 hrs)
Last date of detailed/Technical bid Submission	15.10.2025 (16:00 hrs)
Last date of commercial bid Submission A	17.10.2025 (16:00 hrs)

1. Procedure to participate in above inquiry:

- 1) All the interested bidders have to participate in the tender through our purchase portal by registering your firm as a new vendor (if your firm already have registration in our Purchase Portal, than you have to login to your account and request AFD to send RFQ).
- 2) Interested bidders have to register your firm in our Purchase portal.
 - a. Website for our portal is as >>>: http://afdpurchase.amul.in/
- 3) Offer through mail/hardcopy are not accepted and stand for rejection, your competitive bids should be submitted through our online portal only.
- 4) Interested bidders have to submit their technical specification/detail first, only after detailed technical evaluation/approval, bidders will be invited for submission of commercial bid.

2. Submission & Opening of Bids

- This is a two stage bid.
- All the bidders shall submit the bids through online platform Phase-I Technical bid: Should be submitted as per the described date and time. The technical bid shall contain all the details except for the price.
- Phase- II- Only technical qualified/Successful Bidders invited to submit their commercial bid through online portal.
- Deviation sheet needs to be submitted separately and with justification of offered item/feature.

3. Rights Reserved by AFD

 AmulFed Dairy, Gandhinagar at all its sole discretion and without assigning any reason thereof, reserves the right to accept and/or reject the whole or part of any or all the bids received.

4. Validity

• The offer should must be valid for 90 days from the last date of bid submission.

5. Delivery Address:

AmulFed Dairy (A unit of GCMMFL)



Plot no. 35, Near Indira bridge,

Village – Bhat, Gandhinagar, Gujarat - 382428

6. General Terms and Conditions for the Inquiry:

- 1) Commercial offer through e-mail are not accepted and stand for rejection. Your competitive bid should be submitted in purchase portal only.
- 2) The price should be quoted on F.O.R basis inclusive of packing and forwarding, freight etc. However if it is separate, it should be clearly mentioned in the quotation. Taxes /GST will be extra at actual and should be mentioned clearly.
- 3) Bidder are abide by & bound to follow all the terms, conditions mentioned here in this Enquiry.
- 4) All pages of enquiry including rate form must be signed & sealed by bidder which are considered as your acceptance for all rates, terms & conditions mentioned in enquiry.
- 5) Management reserves the rights to accept or reject the any / all offers submitted by bidders, without assigning any reasons. Management decision in these regards would be considered as final and no complaints will be entertained. No telephonic/personal follow-up from your side will be entertained. Canvassing in any form may lead to disqualification.
- 6) Offer which are incomplete or not meeting the conditions or only for part items, are liable for rejections.
- 7) It is not binding on us to accept lowest offer.
- 8) The final supplier will be the combined decision of our technical team and management and no reason of final selection will be conveyed to any bidder.
- 9) Realistic earliest delivery period should be indicated.
- 10) We are ISO 9001:2000 and ISO 14001 certified unit. We follow eco-friendly processes in our factory and expect the same to be followed in your company.
- 11) The vendor must coordinate with our technical and user department for smooth installation.
- 12) A successful installation & commissioning must be conducted in the presence of user representatives.
- 13) Necessary mounting brackets or fixtures (if required) should be provided by the vendor.
- 14) The vendor must provide basic operational and maintenance training to designated staff.
- 15) User manuals, wiring diagrams, and installation guides must be provided in hard and soft copy.
- 16) Vendor must provide prompt support in case of any issues post-installation.
- 17) Details of local service support and contact person should be provided.
- 18) Quotation must clearly specify:
 - ✓ Make and Model
 - ✓ Technical datasheet
 - ✓ Lead time for delivery
 - ✓ Pricing (with GST separately mentioned)
 - ✓ Terms of payment
 - ✓ Warranty period
 - ✓ Validity of the offer



- 19) Proper safety enclosures or shields must be included if required for operator protection.
- 20) The quotation must clearly the warranty coverage.
- 21) Please specify all additional charges clearly in the quotation.
- 22) The vendor will have to abide by the directives of the AmulFed Dairy with regard to conduct and movement of his workmen in AmulFed Dairy premises.
- 23) The vendor has to remove and replace forthwith such of the workers who are found to be undesirable by the AmulFed Dairy. The Vendor shall be solely responsible for the acts of omission and commission of his workmen deployed for carrying out this work and shall indemnify the AmulFed Dairy against any damage to property and injury to limbs and loss of life of person(s) arising out of negligence and carelessness on the part of his workmen while carrying out his work and the cost of such damage/loss shall be recovered from the vendor.
- 24) The vendor will be responsible for any Govt. rules and laws applicable in connection with their workmen and AmulFed Dairy will not be responsible for the same.
- 25) Any dispute between the vendor and the AmulFed Dairy will be settled by mutual discussion only and the decision of the General Manger of AmulFed Dairy shall be final and binding on both the parties. In case a legal settlement is resorted to as a last refuge, the jurisdiction of such settlement will be Ahmedabad only.
- 26) Management reserves the rights to accept or reject any/ all bids offered by bidders, without assigning any reasons. Management decision in this regard would be considered as final and binding to all. No further communications/ complaints will be entertained in this matter.
- 27) Parties/ Vendors, which were blacklisted by AmulFed Dairy earlier, shall not be considered for awarding contract. If it comes to knowledge of AmulFed Dairy that such blacklisted Parties/ Vendors have submitted offers by other names, their bid shall not be considered and shall be rejected summarily without assigning any reason.
- 28) AFD strictly prohibit use of Tobacco in dairy premises in any form. Such acts will be strictly penalized @ Rs. 5000/- per act along with to permanent no entry to the driver, cleaner or any of your workers identified.
- 29) AmulFed Dairy reserves the right to terminate the contract without assigning any reason. Decision of General Manager– AmulFed Dairy shall be final and binding to all.

Contact person- Tejas Soni Contact no: - 73595 54777

Email Id: tejas.soni@amul.coop / bhargav.kanabar@amul.coop /

Thanking you.

Encl: Annexure: A (Technical Specifications), Annexure B (Rate Format)



Annexure A: Technical Specification

AFD: PUR: ENQ: 2025: 683

The scope of work covers Supply, Installation and Commissioning of Furniture with Partition & Doors at NPD Lab. The basic specifications required are as below:

Sr. No.	Description - Furniture		Qty
	Wall Bench-1 (Size : L 2296 X W 750 X H 900 mm) (Material SS 304)		Nos.
	Work Top Natural JetBlack Granite 18 +/- 1 mm thk Plinth Type (Solid Shutter)	18.54	sq ft
1	SS 304 M 0.8mm thick sheet ,750 mm wide Storage Cabinet with Two Shutter with one Adjustable shelf	2	Nos.
	SS 304 M 0.8mm thick sheet 750 mm wide Storage Cabinet with Three Drawer (Without Lock)	1	Nos.
	SS 304 Electrical RaceWay with Internal Wiring	2.296	mtr.
	Electrical Socket 6/16 amp (2+2) 6Module	3	Nos.
	SS 304 Close Panel	1	Nos.
2	Wall Mounted Cabinet (Size : L750 x D350 x H800) (Material P.C.G.I)	3	Nos.
	Wall mounted cabinet outer body made from GI sheet powder		
	coated, Front Door without Glass Construction (Without Lock),		
	S.S.304 Handles, SS Butt Hinges With Positive Catch, 1.nos.		
	Adjustable Shelf in 18 Gauge Thickness Corner Bench- 1 (Size: L1030 X W1030 X H900 mm)		
	(Material SS 304)	1	Nos.
	Work Top Natural JetBlack Granite 18 +/- 1 mm thk	11.42	sq ft
	SS 304 M 0.8mm thick sheet 1030 mm wide Storage Cabinet	112	54 10
2	one Shutter corner Module (Without Lock)	1	Nos.
3	SS 304 sink (Size: L 600 x W 450 x D 210 mm) with PVC		
	coupler with 1.0 mtr Drain Hose Pipe	1	Nos.
	Three Way Swan Neck Type Water Tap with Inlet Pipe and		
	Fittings	1	Nos.
	SS 304 Electrical RaceWay with Internal Wiring	2.06	mtr.
	Wall Bench-2 (Size: L1525 X W750 X H900 mm) (Material SS		
4	304)	1	Nos.
	Work Top Natural JetBlack Granite 18 +/- 1 mm thk Plinth Type (Solid Shutter)	12.31	sq ft
	SS 304 M 0.8mm thick sheet ,750 mm wide Storage Cabinet		•
	with Two Shutter with one Adjustable shelf	1	
	SS 304 M 0.8mm thick sheet 750 mm wide Storage Cabinet with	1	NI.
	Three Drawer (Without Lock)	1 525	Nos.
	SS 304 Electrical RaceWay with Internal Wiring	1.525	mtr.
	Electrical Socket 6/16 amp (2+2) 6Module	2	Nos.



	(PREVIOUSLY KNOWN AS MOTHER DAIRY, GANDHINAGAR)	ı	1
	SS 304 Rear Close Panel	1	Nos.
	Wall Bench-3 (Size : L1405 X W750 X H750 mm) (P.C.G.I.)	1	Nos.
	Work Top made up of Natural Jetblack granite having thickness		_
	of 18 +/- 1 mm	11.34	sq ft
	M 750 mm wide Storage Cabinet with one Drawer and Two	1	N.T
	Shutter Combination with one Adjustable shelf	1	Nos.
	Leg Space Without Foot rest	1	Nos.
5	Cable Manager	1	Nos.
	Data Socket (Wiring in Clients Scope)	1	Nos.
	Telephone Socket	1	Nos.
	Pipe Panel in Double Skin Construction-	1	Nos.
	Electrical RaceWay with Internal Wiring	1.405	mtr.
	Electrical Socket 6/16 amp (2+2) 6Module	2	Nos.
	Rear Close Panel	1	Nos.
	Wall Mounted Cabinet (Size: L750 x D350 x H800) (P.C.G.I)	2	Nos.
	Wall mounted cabinet outer body made from GI sheet powder		
6	coated, Front Door without Glass Construction with lock and		
	key, S.S.304 Handles, Hettich Lock, SS Butt Hinges With		
	Positive Catch, 1.nos. Adjustable Shelf in 18 Gauge Thickness		
	SS 304 TABLE (SIZE : L 1500 X W780 X H900 mm) (Material	1	Nos.
	SS 304)		
7	Table made from SS 304 Square pipe 40 X 40mm size with 1.6		
	mm thickness, Top made from SS 304 in 1.2 mm thickness		
	sheet, 1 Nos. Fix Shelf at Bottam, 4 Nos.Leg Fitted with Heavy duty caster wheel with lock mechanism		
	S.S STOOL (SIZE:- L300 X D 300 x H600 mm) (Material SS		
	304)	2	Nos.
8	Table Top Made SS 304 In 1.2 mm thick sheet, Table made		
	from SS Square pipe 25 X 25 in 1.2 mm thickness, 4 Nos.Leg		
	Fitted PVC shoe		
	Office Chair	2	Nos.
0	Mid Back Mesh Ergonomic Home-Office Chair with Synchro		
9	Tilt Mechanism, Adjustable Armrest, Cushion Lumbar, Wide		
	Seat & Backrest, BIFMA Compliant Components (Black)		
	Description - Partition & Doors		
	Requirement of Partitions and door with view panel		
Sr.		Qty	Units
No.	PARTICULARS	Qij	Omes
A	Progressive Type Modular Partition System		
	G.I. Powder Coated Double Skin Flush Partition with using 0.80		
	mm Thick G.I. Sheet on both side and with PUF Insulation.	15	Sq mtr
	60mm Thickness		
В	View Panel for Partition wall:		
	Aluminum Double Glazed View Panel for Partition wall With		
	using 5mm Thick. Toughen glass of saint gobain, sticked on	3	Sq mtr
	both Side with 3M adhesive tape. 60mm Thickness.		



C	G.I.Powder Coated Flush Door		
	44.5mm thick. With using 0.80 mm thick G.I.Sheet, 5mm Thick		
	toughen glass flush on both sides fixed with 3M / saint gobin		
	adhesive tape and with PUF insulation. (with 3 Nos. S.S. Ball		
	Bearing Hinges in each leaf, Concealed Flush bolt, Siel for		
	Airtightness), The Door frame Size Shall be 60 x 50 x 1.75 mm		
	Thick.		
1	Single Leaf Door (Size: 1,200.00 x 2100.00mm)	2	nos
D	Door Accessories for Flush Door		
1	S.S. 304 D Type 200mm Handle	2	nos
2	Door Lock (Dorset Make)	1	nos
3	Door Closer (Dorma TS-68) STD. Arm.	2	nos
4	Drop Seal (for Flush doors)	2	nos
5	SS 304 Kick Plate 300mm ht. (One Side)	3	R mtr
Е	Providing of 32mm Dia PVC Conduits	RO	

⁻Bidders are requested to Visit AFD to understand scope of work and our requirements.

Delivery / site Address:

AmulFed Dairy Plot no. 35, Near Indira Bridge, Village BHAT, Gandhinagar -382428 Gujarat



Annexure B

AFD: PUR: ENQ: 2025: 683

Rate Format for Supply, Installation and Commissioning of Furniture with Partition & Doors at NPD Lab

Name of Bidder / firm:

Sr. No.	Particulars	Amount (Rs.)			
	3.	Basic	GST	Total	
1	Supply, Installation and commissioning of Furniture with Partition & Doors as per Scope mentioned in Annexure-A				

Warranty: 1 year standard warranty from installation
Delivery period:
Payment Terms:
Submission of the Duplicate copy of the order duly signed by the authorised signatory putting stamp of the Organisation.
Payment will be 30 days credit after successful commissioning of machine.
I have understood the terms and conditions properly contain in Enquiry & Annexure A, B.
Bidder's Sign
Company Seal & Name
Date: